

GATOR ROOFING EQUIPMENT CO.

**ROOFING CONTRACTORS EQUIPMENT &
GENERATORS**



Manufactured in Woodbury Georgia

www.gatorroofingequipment.com

www.gatorgenerator.com

YouTube: Gator Roofing Equipment

150 Folk Ave. Woodbury Ga. 30293

706-553-6015

Since 1986

Gator Roofing Equipment Co.



Performance and Reliability Runs in our Family!



Many of Gator Roofing Equipment Co. employees have been with the company since it began in 1986 as East Point Equipment Co., Inc. At Gator Roofing Equipment Co., there is an intentional effort made to avoid total assembly line style production. In most instances, the individual welder-fabricator is responsible for products from start to finish. This enhances job satisfaction as well as insuring a greater degree of quality control. Hand-built equipment for the roofing industry by Gator Roofing Equipment Co.

FIND US ON FACEBOOK & YOUTUBE



Gator Roofing Equipment Co.

TABLE OF CONTENTS
Page 4—401000— Gator D-Handle
Page 4—403000—Gator 10,000
Page 5—404000—Gator 12,000
Page 5—405000—Gator 14,000
Page 6—406000—Gator 16,000
Page 6—406500—Gator 16,000 SWK
Page 7—132000—Ultimate Welding Rig
Page 7— Specialty Generator Units
Page 8—Warranty

GATOR GENERATORS HAVE BECOME A NEW STANDARD FOR ROOFERS



Gator generators have all copper wound heads with a clean wave form total harmonic distortion <5%. Units come equipped with multiple receptacles, easy rolling wheels, and lifting eye come as standard features. Absolutely the best value for your dollar! ROOFER TOUGH!

HONDA Powered 3,000 Watts



Gator D-BAR Generator is a light duty unit used mainly for hand tools.

Model Number	401000
Max power	3,000 WATTS
Continuous power	2,800 WATTS
A.C. Output Voltage	120 VOLTS
Engine Honda	GX 160
Displacement	163cc
Starting System	Recoil
Fuel Tank Capacity	3.3 Quarts
120 Volt Receptacles	2-20amp
Dimensions	L20"X W16" XH15"
Weight	72lbs.

Honda Powered 10,000 Watts



Model Number	403000
Max power	12,000 WATTS
Continuous power	10,000 WATTS
A.C. Output Voltage	120/240 VOLTS
Power Rating	30amps-240V/20amps-120
Engine Honda	GX 620
Displacement	688 cc
Starting System	electric
Fuel Tank Capacity	7 Gallons
Low Oil Protection	Standard
120 Volt Receptacles	4-20amp
120/240 Volt	30amp Twist-Lock 630-R
Dimensions	L42" X W28" X H39"

Gator 10,000 Generator has a 20 hp twin cylinder Honda gas engine. Our smallest power generator that will run robotic equipment (Leister) with a run time of 5 hours on a half load.

Gator Generator

HONDA Powered 12,000 Watts



Model Number	404000
Max power	12,500WATTS
Continuous power	11,500 WATTS
A.C. Output Voltage	120/240 VOLTS
Power Rating	50amps-240V/20amps-120
Engine Honda	GX 630
Displacement	688cc
Starting System	Electric
Fuel Tank Capacity	14 Gallons
Low Oil Protection	Standard
120 Volt GFCI	4-20 AMP
120/240 Volt	1-30amp Twist-Lock
240 volt	1-50amp straight blade plug
Dimensions	L42" X W28.5" X H39.5"

KOHLER Powered 14,000



Model Number	405000
Max power	15,000 WATTS
Continuous power	14,000 WATTS
A.C. Output Voltage	120/240 VOLTS
Power Rating	60amps240V/20amps-120
Engine Kohler	CH680
Displacement	674cc
Starting System	Electric
Fuel Tank Capacity	14 Gallons
Low Oil Protection	Standard
120 Volt Receptacles	8-20amp ground fault
120/240 Volt	30amp Twist-Lock 630-R
240 Volt	Straight Blade

The Big Gator and Bulldog Generators have a 2 cylinder, 674cc air cooled Kohler gas engine. All welded steel frame, 14,000 or 16,000 watts of clean generator power, 14 gallon steel fuel tank. Included 1-Yr or 1,000 hour gas engine limited warranty (whichever occurs first). Meets 50 state new EPA compliant standards.

Bulldog Generator


Bulldog 16,000 WATT Standard with fully GFCI panel



Our best-selling Generator is capable of running two robot welders. This Generator is a must have for large jobs. It features a fully ground fault panel and all steel fuel tank. This unit is also easy to service with service parts that can be found at Kohler service centers nationwide.

Model Number	406000
Max power	17,500 WATTS
Continuous power	16,000 WATTS
A.C. Output Voltage	120/240 VOLTS
Power Rating	60amps-240V/20amps-120
Engine Kohler	CH730
Displacement	730cc
Starting System	Electric
Fuel Tank Capacity	14 Gallons
Low Oil Protection	Standard
120 Volt Receptacles	8-20amp ground fault
120/240 Volt	30amp Twist-Lock 630-R
240 Volt	straight Blade 50amp
Dimensions	L42"X W28.5" X H39.5"
Weight	448 lbs.

Generator Parts & Accessories



Generator Heads



Power Cords



Push Button 30 amp



Plugs

Basic Replacement Heads

- UL Listed
- Portable Replacements
- Self Aligning Units
- Voltage Variations
- Single Phase Brushless Capacitor Controlled
- All Copper Windings
- European Manufactured

Generator Heads & Repair Parts



GATOR steel welders tool box



UL listed with GFCI Portable Power Center

Warranty

Products manufactured by GATOR Roofing Equipment Co., Inc. will be delivered to the user, of the kind and quality described in the order and shall be free of defects in workmanship and materials. Should any failure appear within 30 days from the delivery date to the user. User should make a notification that the goods have been stored, installed, maintained and operated in accordance with the manufacturer's recommendations, correct such defect by suitable repair or replacement.

Specifically excluded from the warranty are failures caused by misuse, neglect, abuse, alteration or modification. No liability shall result from delay in performance or nonperformance caused by circumstances beyond "GATOR ROOFING Equipment" control, including but not limited to acts of God, fire, flood, war, government action, accident or work stoppage. This is the only warranty on any GATOR Roofing Equipment written in the catalog. No other writing or description in the catalog shall be construed as a warranty.

Engines

Read the instructions sent with each engine. Fill out the Warranty Sheet and place a copy in your file for future reference. If you have any questions or problems with your engine, contact your nearest Authorized Service Center to help you. If the engine is sent to GATOR Roofing Equipment Co. whether under warranty or not, we will take it to our local Authorized Service Center. You will be charged for the freight to and from Woodbury, GA, repairs (if not under warranty), plus a \$25.00 charge for handling.

Prices & Shipments

All prices quoted are F.O.B. Woodbury, GA and subject to change without notice. All shipments are freight collect (except UPS shipment) unless arrangements are made prior to the shipment.

Returned Goods

Goods should not be returned without authorization from GATOR Roofing Equipment Co. You will be given a return goods number that must be marked on all packages being returned. A restocking fee will be charged for handling (unless product is defective or faulty). **All items being returned must be prepaid.** If item was returned because of defect, credit will be issued for the freight. Shipments being returned without authorization will be refused.